

QUIZ NO: 449

TOPIC: BUILDING MATERIALS & CONSTRUCTION

DATE: 01/06/2021

1. The inner surface of an arch, is termed as

- [1] Spandril
- [2] Extradados
- [3] Crown
- [4] Soffit

Answer: D

2. Which of the following, is not an example for a continuous stair?

- [1] Circular stair
- [2] Bifurcated stair
- [3] Spiral stair
- [4] Helical stair

Answer: B

3. In areas where rainfall is very heavy, the suitable type of roofing is
- [1] Curved roofs
 - [2] Terraced roofs
 - [3] Pitched roofs
 - [4] Light weight flat roofing

Answer: C

4. The vertical outside member of a door or window shutter is known as
- [1] Style
 - [2] Frame
 - [3] Horn
 - [4] Mullion

Answer: A

5. Le-Chatelier test is used for finding the.....of cement
- [1] Setting time
 - [2] Strength
 - [3] Soundness
 - [4] Fineness

Answer: C

6. The truss suitable for roofs of spans varying from 8m to 12 m is:

- [1] Queen post truss
- [2] Mansard truss
- [3] King post truss
- [4] Truncated truss

Answer: A

7. The process of applying cement mortar under pressure through nozzle is called:

- [1] Pressurizing
- [2] Prestressing
- [3] Guniting
- [4] None of these

Answer: C

8. The mortar in which both cement and lime are used as binding materials is called:

- [1] Cement mortar
- [2] Gauged mortar
- [3] Fire resistant mortar
- [4] Lime mortar

Answer: B

9. In a residential building the rise of a step may vary between:

- [1] 10cm -15 cm
- [2] 15cm-18cm
- [3] 18 cm – 25 cm
- [4] 25 cm -30cm

Answer: B

10. The length of stair situated between two landings is termed as:

- [1] Flight
- [2] Rise
- [3] Width of stair
- [4] Going

Answer: A

Join our social media platforms

