

**QUIZ NO: 796**

**TOPIC: TRANSPORTATION ENGINEERING**

**DATE: 08/02/2024**

**1. Wall provided on the hill side of a hilly road is**

- [A] Breast wall
- [B] Retaining wall
- [C] Parapet wall
- [D] None of the above

**Answer: A**

**2. Which of the given statements are true w.r.to rigid pavement**

**P: Load will be resisted by slab action**

**Q: Failure on any layer will be reflected on the surface**

- [A] Only P
- [B] Only Q
- [C] Both P and R
- [D] Neither P nor Q

**Answer: A**

**3. Wall provided on the valley side of a hilly road is:**

- [A] Breast wall
- [B] Retaining wall
- [C] Parapet wall
- [D] None of the above

**Answer: B**

**4. Design speed of NH and SH on hilly terrain is considered as**

- [A] 65 to 40 kmph
- [B] 80 to 65 kmph
- [C] 50 to 40 kmph
- [D] 40 to 20 kmph

**Answer: C**

**5. Which of the following is true w.r.to a Salient curve**

- [A] It has convexity towards hill side
- [B] Sufficient sight distance will be available
- [C] It will have an angle of turn of 180 degree
- [D] It has convexity towards outer edge of hill

**Answer: D**

**6. Hair pin curves will have an angle of turn of:**

- [A] 90 degree
- [B] 180 degree
- [C] 360 degree
- [D] None of the above

**Answer: B**

**7. Which of the following roads comes under boarder road organisation classification?**

- [A] expressway
- [B] District road
- [C] State highway
- [D] National highway

**Answer: D**

**8. A raised road that crosses a body of water or wet ground is termed as**

- [A] Crete way
- [B] Interchange
- [C] Causeway
- [D] Carriage way

**Answer: C**

**9. The process of removing the unacceptable portion of road surface can be termed as:**

- [A] Compaction
- [B] Blotting
- [C] Sedimentation
- [D] Scarification

**Answer: D**

**10. Binding Material used in WBM road is**

- [A] Stone dust
- [B] Cement
- [C] Lime
- [D] Sand

**Answer: A**

Join our social media platforms

