

QUIZ NO: 827

TOPIC: ESTIMATION

DATE: 14/05/2024

1. A work costing Rs. 20000 is termed as

- [A] Petty work
- [B] Minor work
- [C] Major work
- [D] Minor project

Answer: A

2. Specifications for the holdfast are given in terms of:

- [A] Number
- [B] Weight
- [C] Volume
- [D] Length

Answer: B

3. The measurement not made in Sq.m

- [A] Damp proof course
- [B] Form works
- [C] Concrete jaffries
- [D] R.C Chhajja

Answer: D

4. What is the approximate cost of the complete labour as a percentage of the total cost of the building?

- [A] 0.1
- [B] 0.25
- [C] 0.4
- [D] 0.05

Answer: B

**5. To make out an estimate for a work the following data are necessary-
Drawing, Specification and _____**

- [A] Materials
- [B] Rates
- [C] Labours
- [D] Transportation

Answer: B

6. A large work or project may consists of several building or small works and each of these work is known as _____

- [A] Sub-work
- [B] Sub-project
- [C] Sub-head
- [D] Sub-construction

Answer: A

7. The expected out turn of cement concrete 1 : 2 : 4 per mason per day is

- [A] 1.5 m³
- [B] 2.5 m³
- [C] 3.5 m³
- [D] 5.0 m³

Answer: D

8. The head of the division of public works department is

- [A] Chief engineer
- [B] Superintending engineer
- [C] Executive engineer
- [D] Over bridge

Answer: C

9. When small items are estimated, for which detailed quantities cannot be taken out, they are considered as:

- [A] Lump sum
- [B] Contingencies
- [C] Sundries
- [D] None of these

Answer: A

10. Normally earthwork is estimated for 30 m lead for distance and 1.5 m lift for height or depth, and this distance of 30 m and the height of 1.5 m are known as

- [A] Vertical lead and lift
- [B] Normal lead and lift
- [C] Horizontal lead and lift
- [D] Transverse lead and lift

Answer: B

Join our social media platforms

